
FORM 6-K

UNITED STATES
SECURITIES AND EXCHANGE COMMISSION
Washington, D.C. 20549

Report of Foreign Private Issuer

Pursuant to Rule 13a-16 or 15d-16
of the Securities Exchange Act of 1934

Date: May 6, 2008

Commission File Number 001-31528

IAMGOLD Corporation

(Translation of registrant's name into English)

401 Bay Street Suite 3200, PO Box 153
Toronto, Ontario, Canada M5H 2Y4
Tel: (416) 360-4710

(Address of principal executive offices)

Indicate by check mark whether the registrant files or will file annual reports under cover Form 20-F or Form 40-F.

Form 20-F Form 40-
F

Indicate by check mark if the registrant is submitting the Form 6-K in paper as permitted by Regulation S-T Rule 101(b)(1): _____

Note: Regulation S-T Rule 101(b)(1) only permits the submission in paper of a Form 6-K if submitted solely to provide an attached annual report to security holders.

Indicate by check mark if the registrant is submitting the Form 6-K in paper as permitted by Regulation S-T Rule 101(b)(7): _____

Note: Regulation S-T Rule 101(b)(7) only permits the submission in paper of a Form 6-K if submitted to furnish a report or other document that the registrant foreign private issuer must furnish and make public under the laws of the jurisdiction in which the registrant is incorporated, domiciled or legally organized (the registrant's "home country"), or under the rules of the home country exchange on which the registrant's securities are traded, as long as the report or other document is not a press release, is not required to be and has not been distributed to the registrant's security holders, and, if discussing a material event, has already been the subject of a Form 6-K submission or other Commission filing on EDGAR.

Indicate by check mark whether by furnishing the information contained in this Form, the registrant is also thereby furnishing the information to the Commission pursuant to Rule 12g3-2(b) under the Securities Exchange Act of 1934.

Yes No

If "Yes" is marked, indicate below the file number assigned to the registrant in connection with Rule 12g3-2(b): 82- _____

Signatures

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned, thereunto duly authorized.

IAMGOLD CORPORATION

Date: May 6, 2008

By: /s/ Larry E. Phillips

Larry E. Phillips
Senior Vice-President, Corporate Affairs & Corporate Secretary

Description of Exhibit

| <u>Exhibit</u> | <u>Description of Exhibit</u> |
|----------------|---|
| 99.1 | IAMGOLD REPORTS CONTINUED SUCCESS AT 3.3 MILLION OUNCE WESTWOOD PROJECT |



401 Bay Street, Suite 3200, PO Box 153
 Toronto, Ontario, Canada M5H 2Y4
 T 416 360 4710 F 416 360 4750 Toll Free 1 888 IMG 9999
 W www.iamgold.com E info@iamgold.com

TSX - IMG NYSE - IAG BSE - IAMGOLD

PRESS RELEASE

No. 17/08

IAMGOLD REPORTS CONTINUED SUCCESS AT 3.3 MILLION OUNCE WESTWOOD PROJECT

Toronto, Ontario, May 6, 2008 – IAMGOLD Corporation (“IAMGOLD” or “the Company”) is pleased to announce exploration results from the ongoing program at the Company’s Westwood project. This advanced exploration project covers an area of 3 km long by 2.5 km depth and is located on strike east of the Company’s Doyon Mine in the Abitibi region of Northern Quebec.

The intercepts encountered in this deposit are related to multiple veins and sulphide concentrations, encountered in three different mineralized corridors; Westwood corridor, North corridor and the Zone 2 extension, which are parallel and spaced about 100 to 150 metres apart. Results are presented in Table 1 with additional information provided in the longitudinal sections shown in Figures 1 – 5.

The most significant intercepts from this most recent program include:

- 848.1 grams /tonne Au (g/t gold) over 1.0m and 372.6 g/t gold over 1.0m in hole R14436-08
- 54.4 g /t gold over 1.0m in hole R14429-08
- 28.7 g/t gold over 2.0m in hole R14367-07
- 1.0 g/t gold and 5.6% Zinc over 5.6m in hole R14436-08 associated with a two metre massive sulphide band.

“Significant progress has been made at Westwood over the past year including the conservative scoping level study which indicated positive economics for the project. The potential of this project is growing exponentially as results continue to be extremely positive,” stated Joseph Conway, President & CEO. “We will accelerate Westwood as quickly as possible, as it will be one of the key projects to achieve our goal of doubling production in the next five years.”

Since November 2007, the drilling focus at the Westwood project has been on mineralization at depth and massive sulphide mineralization on the eastern side of Bousquet fault, as well as geotechnical characterization. Other advances at Westwood in 2007 include:

- inferred resources estimated at more than 3Moz of gold (Press Release 23 - September 2007);
- massive sulphide mineralization was identified in the Westwood Corridor, east side of Bousquet Fault - hole R14404-07 3.6 g/t gold and 5% zinc over 2 metres (Press Release 31 - December 2007);
- Deep mineralization intercepted in the Zone 2 Corridor – hole R14281B-07 averaging 11.5 g/t gold over 10m and 23.0 g/t gold over 5m, confirming presence of gold at 2.3 km vertical depth on the Western side of the Bousquet Fault, (Press Release 31 - December 2007);

Table 1: Recent Drilling Results from Westwood Exploration Program (Since November 2007)

*results shaded indicate additional assays completed to holes previously reported.

**shaded holes indicate new holes.

| hole # | Intersection | | | | Zone 2 Extension | | | North Corridor | | | Westwood Horizon | | |
|------------|--------------|--------|-----------------|----------------|------------------|------|------|----------------|------|------|------------------|------|------|
| | From (m) | to (m) | Core length (m) | True width (m) | Au g/t | Cu % | Zn % | Au g/t | Cu % | Zn % | Au g/t | Cu % | Zn % |
| R14242C-07 | 1586.0 | 1599.5 | 13.5 | 7.2 | | | | 3.2 | - | | | | |
| | incl. 1589.0 | 1590.0 | 1.0 | 0.5 | | | | 26.0 | 0.2 | 0.0 | | | |
| | 1681.0 | 1701.1 | 20.1 | 12.1 | | | | | | | 0.5 | 0.1 | 0.1 |
| | incl. 1689.0 | 1690.0 | 1.0 | 0.6 | | | | | | | 3.6 | 0.4 | 0.1 |
| | 1716.0 | 1728.0 | 12.0 | 7.2 | | | | | | | 0.3 | 0.1 | 0.1 |
| R14392-07 | 519.0 | 520.0 | 1.0 | 0.7 | 1.5 | - | - | | | | | | |
| R14420-07 | 428.0 | 429.0 | 1.0 | 1.0 | 2.5 | 0.2 | 0.0 | | | | | | |
| | 549.0 | 553.5 | 4.5 | 4.4 | | | | 0.4 | - | - | | | |
| | 567.0 | 570.0 | 3.0 | 2.9 | | | | 3.4 | 0.0 | 0.0 | | | |
| | 614.0 | 615.0 | 1.0 | 1.0 | | | | | | | 0.2 | 0.0 | 0.3 |
| R14423-07 | 579.0 | 582.0 | 3.0 | 1.8 | 2.2 | - | - | | | | | | |
| | 736.0 | 737.0 | 1.0 | 0.5 | | | | 6.1 | - | - | | | |
| | 751.0 | 753.0 | 2.0 | 1.3 | | | | | | | 0.8 | 0.1 | 1.4 |
| R14426-07 | 399.5 | 401.5 | 2.0 | 1.9 | 1.1 | - | - | | | | | | |
| | 487.0 | 488.0 | 1.0 | 0.9 | | | | 3.1 | 0.1 | 0.1 | | | |
| | 600.5 | 603.5 | 3.0 | 2.8 | | | | | | | 4.6 | 0.1 | 0.0 |
| R14427-07 | 606.5 | 611.0 | 4.5 | 4.3 | | | | | | | 1.8 | 0.1 | 0.0 |
| | 625.5 | 627.0 | 1.5 | 0.8 | 2.3 | - | - | | | | | | |
| R14427A-07 | 798.0 | 799.0 | 1.0 | 0.5 | 3.4 | - | - | | | | | | |
| | 625.5 | 627.0 | 1.5 | 0.8 | 13.2 | 0.0 | 0.1 | | | | | | |
| | incl. 625.5 | 626.0 | 0.5 | 0.3 | 31.4 | 0.0 | 0.2 | | | | | | |
| | 804.5 | 806.0 | 1.5 | 0.7 | 5.8 | - | - | | | | | | |
| R14429-07 | 917.0 | 919.0 | 2.0 | 1.0 | | | | 2.3 | 0.1 | 0.0 | | | |
| | 385.5 | 386.5 | 1.0 | 0.9 | 22.0 | 0.0 | 0.0 | | | | | | |
| | 390.5 | 391.5 | 1.0 | 0.9 | 54.4 | 0.0 | 0.0 | | | | | | |
| | 544.5 | 545.5 | 1.0 | 0.9 | | | | 5.9 | 0.0 | 0.0 | | | |
| | 552.5 | 553.5 | 1.0 | 0.9 | | | | 4.0 | - | - | | | |
| | 564.5 | 565.5 | 1.0 | 0.9 | | | | 9.6 | - | - | | | |
| | 599.0 | 600.0 | 1.0 | 0.9 | | | | | | | 5.3 | 0.2 | 0.2 |

| hole # | Intersection | | Core Length (m) | True width (m) | Zone 2 Extension | | | North Corridor | | | Westwood Horizon | | |
|------------|--------------|--------|-----------------|----------------|------------------|------|------|----------------|------|------|------------------|------|------|
| | From (m) | To (m) | | | Au g/t | Cu % | Zn % | Au g/t | Cu % | Zn % | Au g/t | Cu % | Zn % |
| R14436-07 | 474.5 | 475.5 | 1.0 | 1.0 | | | | 372.6 | 0.1 | 0.2 | | | |
| | 520.0 | 521.0 | 1.0 | 1.0 | | | | 17.9 | 0.0 | 0.1 | | | |
| | 521.0 | 522.0 | 1.0 | 1.0 | | | | 848.1 | 0.0 | 1.6 | | | |
| | 591.5 | 595.5 | 4.0 | 4.0 | | | | | | | 1.2 | 0.0 | 0.8 |
| | 622.0 | 627.6 | 5.6 | 5.6 | | | | | | | 1.0 | 0.3 | 5.6 |
| | incl. 625.3 | 627.6 | 2.3 | 2.3 | | | | | | | 0.9 | 0.5 | 11.4 |
| R14442-08 | 529.5 | 530.5 | 1.0 | 1.0 | | | | 8.8 | 0.0 | 0.2 | | | |
| | 567.5 | 581.0 | 13.5 | 13.5 | | | | | | | 0.5 | 0.0 | 0.6 |
| R14445-08 | 594.0 | 607.3 | 13.3 | 13.3 | | | | | | | 0.7 | 0.0 | 0.4 |
| | 365.5 | 367.5 | 2.0 | 2.0 | 4.1 | - | - | | | | | | |
| R14367-07 | 1310.5 | 1311.5 | 1.0 | 0.4 | | | | 27.5 | - | - | | | |
| | 1392.0 | 1394.0 | 2.0 | 1.0 | | | | | | | 0.2 | 0.1 | 0.0 |
| R14456B-08 | 526.5 | 527.5 | 1.0 | 0.9 | | | | 2.6 | - | - | | | |
| | 562.0 | 564.0 | 2.0 | 1.9 | | | | 3.4 | - | - | | | |
| | 612.0 | 616.5 | 4.5 | 4.4 | | | | | | | 1.1 | - | 1.1 |
| | 622.0 | 627.5 | 5.5 | 5.3 | | | | | | | 0.5 | - | 3.6 |
| S01275-07 | 353.0 | 354.0 | 1.0 | 0.8 | | | | 5.5 | - | - | | | |
| | 535.5 | 537.0 | 1.5 | 1.3 | 0.8 | - | - | | | | | | |
| | 579.0 | 581.5 | 2.5 | 2.1 | 0.7 | - | - | | | | | | |
| R14455-08 | 371.0 | 372.0 | 1.0 | 0.9 | | | | 1.8 | - | - | | | |
| | 401.5 | 405.5 | 4.0 | 3.8 | | | | | | | 1.2 | | |
| R14463-08 | 401.0 | 403.0 | 2.0 | 1.5 | | | | 7.9 | - | - | | | |

*Holes R14242C-07; R14392-07, R14420-07, R14423-07 and R14367-07 were reported previously, additional assays completed.

** Holes R14428-07, R14428A-08, R14428B-08, R14431-07, R14431A-08, R14431B-08, R14431C-08, R14452-08, R14367A-08, R14367B-08, R14456-08, R14456A-08, R14476-08, R14479-08, R14480-08, R14481-08, R14489-08, and R14472-08 yielded no significant results.

Westwood Program for 2008

The original 2008 budget for Westwood project of \$15.6M is currently under review as acceleration options are being assessed. To date, two evaluation drilling programs are ongoing. The Warrenmac lens, a small zone that was identified in the late 1980's consisting of massive sulphide (zinc-gold) mineralization, is under evaluation with two drills working from surface. This mineralization corresponds to the upper extension of the Westwood Corridor, on the Western side of the Bousquet Fault.

The second evaluation program was initiated from underground in January 2008 in Zone 2. The purpose is to infill drill a 400m X 400m block to confirm continuity. These programs are expected to be completed shortly.

In April 2008, a 15,000 m surface exploration and evaluation drilling program began utilizing 2 drills to test the possible extension of the three identified corridors within a kilometre of surface. Also, a 2,000 m condemnation hole for the exploration shaft location was started at the end of March 2008. There are currently nine drills in operation dedicated to the Westwood project.

Results from these evaluation drilling programs are not reflected in this announcement and will be released as they become available. A decision regarding the sinking of an exploration shaft is expected by March 2009.

Information and Qualified Person/Quality Control Notes

The mineral resource estimates contained in this news release have been prepared in accordance with National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101").

The drilling program at Westwood, attributed in this release, was carried out by IAMGOLD employees, under the supervision of Ms. Nicole Houle, Geologist – Doyon Division. Ms. Houle is a qualified person (as defined by National Instrument 43-101) with more than 20 years of experience in mine and exploration geology. The "Qualified Person" responsible for the resource estimate for resources at The Westwood Project, is based on information prepared under the supervision of, or has been reviewed by Elzear Belzile, former Manager, Mining Geology, a geologist, a former employee of IAMGOLD Corporation and is the "Qualified Person" for the purposes of National Instrument 43-101 with respect to the mineralization being reported on. The technical information has been included herein with the consent and prior review of the above noted qualified persons. The Qualified Persons have verified the data disclosed, including sampling, analytical and test data underlying the information or opinions contained herein.

Cautionary Note to U.S. Investors

The United States Securities and Exchange Commission (the "SEC") permits mining companies, in their filings with the SEC, to disclose only those mineral deposits that a company can economically and legally extract or produce. We use certain terms in this press release, such as "mineral resources", that the SEC guidelines strictly prohibit us from including in our filings with the SEC. U.S. investors are urged to consider closely the disclosure in the IAMGOLD Annual Report on Form 40-F. A copy of the 2006 Form 40-F is available to shareholders, free of charge, upon written request addressed to the Investor Relations Department.

Forward Looking Statement

This press release includes certain "Forward-Looking Statements" within the meaning of section 21E of the United States Securities Exchange Act of 1934, as amended. All statements, other than statements of historical fact, included herein, including without limitation, statements regarding potential mineralization and reserves, exploration results and future plans and objectives of IAMGOLD, are forward-looking statements that involve various risks and uncertainties. There can be no assurance that such statements will prove to be accurate and actual results and future events could differ materially from those anticipated in such statements. Important factors that could cause actual results to differ materially from IAMGOLD's expectations are disclosed under the heading "Risk Factors" and elsewhere in IAMGOLD documents filed from time-to-time with the Toronto Stock Exchange, the United States Securities and Exchange Commission and other regulatory authorities.

For further information please contact :

IAMGOLD Corporation :

Lisa Doddridge

Director, Investor Relations

Tel: (416) 360-4710

Toll-free: 1 888 IMG-9999

Renmark Financial Communications Inc.

John Boidman: jboidman@renmarkfinancial.com

Henri Perron: hperron@renmarkfinancial.com

T: (514) 939-3989

F: (514) 939-3717

www.renmarkfinancial.com

Please note:

This entire press release may be accessed via fax, e-mail, IAMGOLD's website at www.iamgold.com and through Marketwire's website at www.marketwire.com . All material information on IAMGOLD can be found at www.sedar.com or at www.sec.gov .

Si vous désirez obtenir la version française de ce communiqué, veuillez consulter le <http://www.iamgold.com/fr/accueil.html>.




Figure 1




Figure 2




Figure 3

Schematic view of the level 14




Figure 4

WESTWOOD PROJECT - MINERALIZATION LOCATION
 CROSS SECTION D-D" - S4400E ±100m (facing west)




Figure 5